

Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Product name	Solstice® N15 (R-515B)		
SDS-number	00000021925		
Type of product	Mixture		
Remarks	SDS according to Art. 31 of Regulation (EC) 190)7/2006.	
1.2. Relevant identified us	of the substance or mixture and uses advised	against	
Use of the Substance/Mixture	Refrigerant		
Uses advised against	none		
1.3. Details of the supplie	the safety data sheet		
Company	Honeywell SpecialtyHoneywell InterChemicals Seelze115 Tabor RoaGmbHMorris Plains, NWunstorfer Straße 40USA30926 SeelzeGermany	d	
Telephone	(49) 5137-999 0		
For further information, please contact:	SafetyDataSheet@Honeywell.com		
1.4. Emergency telephone	mber		
Emergency telephone number	+1-703-527-3887 (ChemTrec-Transport) +1-303-389-1414 (Medical) Poison Control Center: Ireland: +353(1)8092166 United Kingdom: (+44) 844 892 0111		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Page 1 / 17



Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

REGULATION (EC) No 1272/2008

Gases under pressure Liquefied gas H280 Contains gas under pressure; may explode if heated.

2.2. Label elements

REGULATION (EC) No 1272/2008

Hazard pictograms	\diamond	
Signal word	: Warning	
Hazard statements	: H280	Contains gas under pressure; may explode if heated.
Precautionary statements	: P410 + P403	Protect from sunlight. Store in a well- ventilated place.

Special labelling of certain : Contains fluorinated greenhouse gases. products:

2.3. Other hazards

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Rapid evaporation of the liquid may cause frostbite. This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical name	CAS-No.	Classification 1272/2008	Concentration	Remarks

Page 2 / 17



Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

	Index-No. REACH Registration Number EC-No.			
trans-1,3,3,3- Tetrafluoroprop-1- ene	29118-24-9 01-0000019758-54 UK-01-4824215216 471-480-0	Press. Gas ; H280	91,1 %	
1,1,1,2,3,3,3- Heptafluoropropane	431-89-0 01-2119485489-18 207-079-2	Press. Gas ; H280	8,9 %	

Remaining components of this product are non-hazardous and/or are present at concentrations below reportable limits.

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

Show this safety data sheet to the doctor in attendance. Keep warm and in a quiet place.

Inhalation:

Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Use oxygen as required, provided a qualified operator is present. Call a physician.

Skin contact:

Rapid evaporation of the liquid may cause frostbite. If there is evidence of frostbite, bathe (do not rub) with lukewarm (not hot) water. If water is not available, cover with a clean, soft cloth or similar covering. Call a physician if irritation develops or persists.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

Ingestion:

Unlikely route of exposure. As this product is a gas, refer to the inhalation section. Do not induce vomiting without medical advice. Call a physician immediately.

Page 3 / 17

Honeywell

:

Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

See Section 11 for more detailed information on health effects and symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water mist Dry powder Foam Carbon dioxide (CO2)

5.2. Special hazards arising from the substance or mixture

Contents under pressure. Heating will cause pressure rise with risk of bursting Cool closed containers exposed to fire with water spray. Product is not combustible under normal conditions. However, this material can ignite when mixed with air under pressure and exposed to strong ignition sources. Do not allow run-off from fire fighting to enter drains or water courses. Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Some risk may be expected of corrosive and toxic decomposition products. Fire may cause evolution of: Hydrogen fluoride Carbon oxides Carbonyl halides Halogenated compounds

Page 4 / 17

Honeywell

Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

5.3. Advice for firefighters

Wear full protective clothing and self-contained breathing apparatus. Exposure to decomposition products may be a hazard to health. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. In the event of fire, cool tanks with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Wear personal protective equipment. Unprotected persons must be kept away. Remove all sources of ignition. Avoid skin contact with leaking liquid (danger of frostbite). Ventilate the area. After release, disperses into the air. Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. The product evaporates readily. Prevent spreading over a wide area (e.g. by containment or oil barriers).

6.3. Methods and materials for containment and cleaning up

Do not direct water spray at the point of leakage. Allow to evaporate.

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Exhaust ventilation at the object is necessary.

Advice on protection against fire and explosion:

Do not spray on a naked flame or any incandescent material. Keep away from direct sunlight. Fire or intense heat may cause violent rupture of packages. Vapours may form explosive mixtures with air. The product is not easily combustible.

Page 5 / 17

Honeywell

Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

Hygiene measures: Avoid breathing vapours, mist or gas. Keep working clothes separately.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep containers tightly closed in a cool, well-ventilated place. Keep only in the original container at temperature not exceeding 50°C Keep away from direct sunlight.

7.3. Specific end use(s)

no additional data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks
trans-1,3,3,3-Tetrafluoroprop-1-ene	HONEYWELL TWA	800 ppm		We are not aware of any national exposure limit.

HONEYWELL - Limit established by Honeywell International Inc. TWA - Time weighted average

DNEL/ PNEC-Values

Component	End- use/impact	Exposure duration	Value	Exposure routes	Remarks
trans-1,3,3,3- Tetrafluoroprop-1-ene	Workers / Long-term systemic effects		3902 mg/m3	Inhalation	
trans-1,3,3,3- Tetrafluoroprop-1-ene	Consumers / Long-term systemic effects		830 mg/m3	Inhalation	

Page 6 / 17



Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

1,1,1,2,3,3,3- Heptafluoropropane	Workers / Long-term systemic effects	61279 mg/m3	Inhalation	
1,1,1,2,3,3,3- Heptafluoropropane	Consumers / Long-term systemic effects	6533 mg/m3	Inhalation	

Component	Environmental compartment / Value	Remarks
trans-1,3,3,3-Tetrafluoroprop-1-ene	Fresh water: 0,1 mg/l	Assessment factor: 1000
1,1,1,2,3,3,3-Heptafluoropropane	Fresh water: 0,1 mg/l	Assessment factor: 1000
1,1,1,2,3,3,3-Heptafluoropropane	Sewage treatment plant: 1,73 mg/l	Assessment factor: 100
1,1,1,2,3,3,3-Heptafluoropropane	Fresh water sediment: 1,3 mg/kg dw	

8.2. Exposure controls

Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Avoid inhalation of vapour or mist.

Engineering measures

Local exhaust

Personal protective equipment

Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. Self-contained breathing apparatus (EN 133)

Hand protection: Protective gloves against cold

Page 7 / 17

Honeywell

Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

(EN 511) Gloves must be inspected prior to use. Replace when worn.

Eye protection: Goggles

Skin and body protection: Wear suitable protective equipment. Wear as appropriate: Protective suit

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

(a) Physical state	:	gaseous
(b) Colour	:	colourless
(c) Odour	:	slight ether-like
(d) Melting point/freezing point	:	No data available
(g) Lower and upper explosion limit	:	Lower explosion limit No data available
	:	Upper explosion limit No data available
(h) Flash point	:	Not applicable
(i) Auto-ignition temperature	:	not determined
(j) Decomposition temperature	:	Hazardous decomposition products formed under fire conditions. To avoid thermal decomposition, do not overheat. Page 8 / 17



Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

(k) pH	:	neutral
(I) Viscosity, kinematic	:	Not applicable
(m) Solubility(ies)	:	Water solubility: No data available
(n) Partition coefficient: n- octanol/water	:	No data available
(o) Vapour pressure	:	440 kPa at 21 °C
(p) Density and / or relative density	:	No data available
(q) Relative vapour density	:	No data available
(r) Particle characteristics	:	No data available
9.2 Other Information		
Evaporation rate	:	Not applicable
Viscosity, dynamic	:	Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Hazardous decomposition products formed under fire conditions. To avoid thermal decomposition, do not overheat.

10.3. Possibility of hazardous reactions

Page 9 / 17

Honeywell

Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Can form a combustible mixture with air at pressures above atmospheric pressure.

10.5. Incompatible materials

Reactions with alkali metals.

10.6. Hazardous decomposition products

Carbon oxides Carbonyl halides Hydrogen fluoride Halogenated compounds

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) Acute toxicity

Acute oral toxicity: Not applicable study technically not feasible

Acute dermal toxicity: No data available study technically not feasible

Acute inhalation toxicity: LC0 Species: Rat Value: > 207000 ppm Exposure time: 4 h Method: OECD Test Guideline 403 Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

LC50 Species: Rat Value: > 241000 ppm Exposure time: 4 h

Page 10 / 17

Honeywell

Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

Test substance: Propane, 1,1,1,2,3,3,3-heptafluoro- (HFC-227ea)

Acute toxicity (other routes of administration): No data available

(b) Skin corrosion/irritation: Species: Rabbit

Result: No skin irritation Method: OECD Test Guideline 404 Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

(c) Serious eye damage/eye irritation:

No data available study technically not feasible

(d) Respiratory or skin sensitisation:

Species: human Result: Does not cause skin sensitisation. Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

(e) Germ cell mutagenicity:

Test Method: Chromosome aberration test in vitro Cell type: Human lymphocytes Result: negative Method: OECD Test Guideline 473 Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

Test Method: Ames test Result: negative Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

Test Method: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Cell type: Micronucleus Application Route: Inhalation Method: OECD Test Guideline 474 Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene Result: negative

(f) Carcinogenicity: Note: No data available

(g) Reproductive toxicity:

Page 11 / 17



Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

Species: Rabbit Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene Method: OECD 416 Note: Did not show teratogenic effects in animal experiments. Species: Rat Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene Method: OECD 416 Note: Did not show teratogenic effects in animal experiments. Test Type: Two-generation study Method: OECD Test Guideline 416 Species: Rat Route of Application: Inhalation General Toxicity - Parent: NOEL: > 20.000 ppm General Toxicity F1: NOEL: > 20.000 ppm Remarks: trans-1,3,3,3-Tetrafluoroprop-1-ene Method: OECD Test Guideline 414 Species: Rat Route of Application: Inhalation General Toxicity Maternal: NOEC: 15.000 ppm Developmental Toxicity: NOAEC: 15.000 ppm Remarks: trans-1,3,3,3-Tetrafluoroprop-1-ene (h) STOT-single exposure: No data available

(i) STOT - repeated exposure:

Species: Rat Application Route: Inhalation Exposure time: 90 d NOEL: 5000 Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene Method: OECD Test Guideline 413 Note: Subchronic toxicity

(j) Aspiration hazard: No data available

11.2. Information on other hazards

Endocrine disrupting properties No data available

Other information: Cardiac Sensitization (dog): No effects

Page 12 / 17

Honeywell

Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish: LC0 static test Species: Cyprinus carpio (Carp) Value: > 117 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

Toxicity to aquatic plants: NOEC Growth rate Species: Algae Value: > 170 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

NOEC Biomass Species: Algae Value: > 170 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

Toxicity to aquatic invertebrates: EC50 static test Species: Daphnia magna (Water flea) Value: > 160 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

12.2. Persistence and degradability

Page 13 / 17



Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

Biodegradability: aerobic Result: Not readily biodegradable. Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

12.3. Bioaccumulative potential

Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene No bioaccumulation is to be expected (log Pow <= 4).

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product: Dispose according to legal requirements.

Packaging: Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information: Provisions relating to waste: EC Directive 2006/12/EC; 2008/98/EEC Regulation No. 1013/2006 For personal protection see section 8.

SECTION 14: Transport information

Page 14 / 17

Honeywell

IATA:3163

IATA: 2.2

Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

14.1 UN number or ID numberADR/RID:3163IMDG:3163

14.2 UN proper shipping name ADR/RID:LIQUEFIED GAS, N.O.S.(TRANS-1,3,3,3-TETRAFLUOROPROP-1-ENE, 1,1,1,2,3,3,3-HEPTAFLUOROPROPANE) IMDG:LIQUEFIED GAS, N.O.S.(TRANS-1,3,3,3-TETRAFLUOROPROP-1-ENE,1,1,1,2,3,3,3-HEPTAFLUOROPROPANE) IATA:Liquefied gas, n.o.s.(trans-1,3,3,3-Tetrafluoroprop-1-ene, 1,1,1,2,3,3,3-Heptafluoropropane)

14.3 Transport hazard class(es)ADR/RID:2.2IMDG: 2.2

14.4 Packaging group No data available

14.5 Environmental hazards ADR/RID:no

Marine pollutant: no

14.6 Special precautions for user IMDG Code segregation group according chapter 3.1.4.4 : NONE,

14.7 Maritime transport in bulk according to IMO instruments No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of \geq 0.1 % (w/w).

Global warming potential : 293

Honeywell

Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

Other inventory information

USA. List of Active Substances on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory, as amended On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended On the inventory, or in compliance with the inventory

Canada. Domestic Substances List (DSL), as amended All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List Not in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) Not in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Text of H-statements referred to under heading 3

trans-1,3,3,3-Tetrafluoroprop-1-ene : H280 Contains gas under pressure; may explode if heated. 1,1,1,2,3,3,3-Heptafluoropropane

Further information

Page 16 / 17



Solstice® N15 (R-515B)

00000021925

Version 1.0

Revision Date 08.04.2024

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community
CAS Chemical Abstracts Service
DNEL Derived no effect level
PNEC Predicted no effect level
vPvB Very persistent and very biaccumulative substance
PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.