

with 1907/2006/EC

Trade name: R449A

 Current version : 2.0.1, issued: 06.01.2025
 Replaced version: 2.0.0, issued: 06.01.2025
 Region:

GER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

R449A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Industrial Use Professional use Refrigerant

Uses advised against

Consumer use

1.3 Details of the supplier of the safety data sheet

Address

TEGA - Technische Gase und Gasetechnik GmbH

Werner-von-Siemens-Straße 18

97076 Würzburg

Telephone no. +49 931 2093-220 Fax no. +49 931 2093-180 e-mail kaeltemittel@tega.de

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Press. Gas lig.; H280

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHOU

Signal word

Warning

Hazard statement(s)

H280 Contains gas under pressure; may explode if heated.



with 1907/2006/EC

Trade name: R449A

 Current version : 2.0.1, issued: 06.01.2025
 Replaced version: 2.0.0, issued: 06.01.2025
 Region:

 GER
 GER

Precautionary statement(s)

P410+P403 Protect from sunlight. Store in a well-ventilated place.

Supplemental label elements

Contains fluorinated greenhouse gases.

2.3 Other hazards

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Danger of suffocation by displacement of air / oxygen. Contact with the liquid can cause cold burns or frostbite. Abuse or intentional inhalation can be fatal as a result of effects on the heart without alarming symptoms.

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Fluorinated hydrocarbons

Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	norflurane			
	811-97-2	Press. Gas liq.; H280	25,70	Vol%
	212-377-0			
	-			
	01-2119459374-33			
2	2,3,3,3-tetrafluorop			
	754-12-1	Flam. Gas 1B; H221	25,30	Vol%
	468-710-7	Press. Gas liq.; H280		
	-			
	01-0000019665-61			
3	pentafluoroethane			
	354-33-6	Press. Gas liq.; H280	24,70	Vol%
	206-557-8			
	-			
	01-2119485636-25			
4	difluoromethane			
	75-10-5	Flam. Gas 1A; H220	24,30	Vol%
	200-839-4	Press. Gas liq.; H280		
	-			
	01-2119471312-47			

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	Flam. Gas 1A; H220: C >= 6,201%	-	-
		Flam. Gas 1B; H221: C >= 12,3%		

SECTION 4: First aid measures

4.1 Description of first aid measures

TEGR

with 1907/2006/EC

Trade name: R449A

 Current version : 2.0.1, issued: 06.01.2025
 Replaced version: 2.0.0, issued: 06.01.2025
 Region:

 GER
 GER

General information

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove affected person from danger area, lay him down. Seek medical advice immediately.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Irregular breathing/no breathing; artificial respiration. Call a doctor immediately.

After skin contact

In case of contact with skin wash off immediately with soap and water. Rinse with much water in case of frostbites. Remove chlothes only after unfreezing. Cover wounds with sterile dressing. Call a doctor immediately.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Ingestion is not considered a possible route of exposure. Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

The following symptoms may occur: cardiac arrhytmia; respiratory arrest. anesthetic effect; Light-headedness; Dizziness; confusion; Unconsciousness; muscle incoordination; nausea; Skin irritation; reddening of the skin; Eye irritation; red eyes; Contact with liquefied gas can cause damage (frostbite) due to rapid evaporative cooling.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon oxides (COx); Hydrogen fluoride (HF); Carbonyl fluoride; fluorine compounds; Liquefied gas: Spilled liquid can cause cold burns. This gas is heavier than air and may accumulate in low areas.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit. Containers close to fire should be transferred to a safe place. Cool closed containers exposed to fire with water. Pressure increase, bursting and explosion hazard during heating. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Provide good room ventilation even at ground level (vapours are heavier than air). Do not breathe gas. Keep away from ignition sources. Use personal protective clothing. Cordon and mark contaminated area. Remove persons to safety. Avoid skin contact with leaking liquid (danger of frostbite!).

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Avoid release in the environment. Suppress gases/vapours/mists with water spray jet.

TEGR

with 1907/2006/EC

Trade name: R449A

 Current version : 2.0.1, issued: 06.01.2025
 Replaced version: 2.0.0, issued: 06.01.2025
 Region:

GER

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Only qualified and trained persons are authorised to handle. Provide good ventilation at the work area (local exhaust ventilation, if necessary). To be used only according to instructions for use. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose containers heat or sources of ignition. In case of accidental release: danger due to low temperature of the liquid product. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Comply with the health and safety at work laws.

General protective and hygiene measures

Wash hands before breaks and after work. Do not inhale gases. Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Have emergency shower available.

Advice on protection against fire and explosion

The product is not combustible. Isolate from sources of heat, sparks and open flame. Take precautionary measures against electrostatic loading (earthing necessary during loading operations). Electrical equipment should be protected to the appropriate standard.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place, open and handle carefully. Protect from heat and direct sunlight.

Recommended storage temperature

Value < 50 °C

Storage stability

Value > 10 a

Comments When stored properly, the storage life is unlimited.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Do not store together with: self-heating substances and mixtures; self-reactive substances and mixtures; flammable substances; oxidizing agents; pyrophoric substances; explosives; toxic substances and mixtures

Stoarge Class according TRGS 510

2A Gases (except aerosol dispensers and lighters)

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	norflurane	811-97-2	212-377-0
	TRGS 900		

with 1907/2006/EC

Trade name: R449A

Current version : 2.0.1, issued: 06.01.2025 **Replaced version:** 2.0.0, issued: 06.01.2025

Region: GER

	Norfluran				
	WEL long-term (8-hr TWA reference period)	4200	mg/m³	1000	ml/m³
	Ceiling Limit	8(II)			
	Notes	Υ			
2	2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7	
	TRGS 900				
	2,3,3,3-Tetrafluorpropen				
	WEL long-term (8-hr TWA reference period)	950	mg/m³	200	ml/m³
	Ceiling Limit	2 (II)			
	Notes	Y			

Biological limit values

No	Substance name		
1	pentafluoroethane		
	TRGS 903		
	Fluorwasserstoff und anorganische Fluorverbindungen (Fl	luoride)	
	parameter	Fluorid	
	Value	7,0	mg/g Kreatinin
	sample material	U	
	Sampling moment	b	
	TRGS 903		
	Fluorwasserstoff und anorganische Fluorverbindungen (Fl	luoride)	
	parameter	Fluorid	
	Value	4,0	mg/g Kreatinin
	sample material	U	
	Sampling moment	d	

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no)
	Route of exposure	Exposure time	Effect	Value	
1	norflurane			811-97-2	
				212-377-0	
	inhalative	Long term (chronic)	systemic	13936	mg/m³
2	2 2,3,3,3-tetrafluoroprop-1-ene			754-12-1	
				468-710-7	
	inhalative	Long term (chronic)	systemic	950	mg/m³
	inhalative	Short term (acut)	systemic	186400	mg/m³
3	pentafluoroethane			354-33-6	
				206-557-8	
	inhalative	Long term (chronic)	systemic	16444	mg/m³
4	difluoromethane			75-10-5	
				200-839-4	
	inhalative	Long term (chronic)	systemic	7035	mg/m³

DNEL value (consumer)

No	Substance name	Substance name		
	Route of exposure	Exposure time	Effect	Value
1	norflurane			811-97-2
				212-377-0
	inhalative	Long term (chronic)	systemic	2476 mg/m³
2	2,3,3,3-tetrafluoroprop-1-ene			754-12-1
				468-710-7
	inhalative	Long term (chronic)	systemic	113,1 mg/m³
	inhalative	Short term (acut)	systemic	186400 mg/m³
3	pentafluoroethane			354-33-6
				206-557-8

with 1907/2006/EC

Trade name: R449A

Current version: 2.0.1. issued: 06.01.2025 Replaced version: 2.0.0, issued: 06.01.2025 Region:

GER

	inhalative	Long term (chronic)	systemic	1753	mg/m³
4	difluoromethane			75-10-5	
				200-839-4	
	inhalative	Long term (chronic)	systemic	750	mg/m³

PNEC values

No	Substance name		CAS / EC no		
	ecological compartment	Туре	Value		
1	norflurane		811-97-2		
			212-377-0		
	water	fresh water	0,1	mg/L	
	water	marine water	0,01	mg/L	
	water	fresh water sediment	0,75	mg/kg dry	
				weight	
	sewage treatment plant	-	73	mg/L	
2	2,3,3,3-tetrafluoroprop-1-ene		754-12-1		
			468-710-7		
	water	fresh water	0,1	mg/L	
	water	marine water	0,01	mg/L	
	water	fresh water sediment	1,51	mg/kg dry	
				weight	
	water	marine water sediment	0,151	mg/kg dry weight	
	soil	-	1,49	mg/kg dry	
			,,,,,	weight	
3	pentafluoroethane		354-33-6	Ŭ	
	•		206-557-8		
	water	fresh water	0,1	mg/L	
	water	fresh water sediment	0,6	mg/kg dry	
				weight	
4	difluoromethane		75-10-5		
			200-839-4		
	water	fresh water	0,142	mg/L	
	water	Aqua intermittent	1,42	mg/L	
	water	fresh water sediment	0,543	mg/kg dry	
				weight	

8.2 **Exposure controls**

Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment

Respiratory protection

Self-contained breathing apparatus. In case of insufficient ventilation or long-term effect use breathing apparatus. Danger of suffocation due to high concentrations in breathing air.

Respiratory filter (gas): AX

Eve / face protection

Tightly fitting safety glasses (EN 166). Face shield

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Low-temperature-resistant gloves (EN 511). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material Leather

Other

Chemical-resistant work clothes. Protective shoes.

with 1907/2006/EC

Trade name: R449A

Current version: 2.0.1, issued: 06.01.2025 Replaced version: 2.0.0, issued: 06.01.2025

Region: GER

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation			
gas			
Form			
liquified gas			
Colour			
clear			
Odour			
slightly like ether			
nH value			
pH value No data available			
Boiling point / boiling range		- 10	00
Value	a	-46	°C
Source	supplier		
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
Not applicable			
Source	supplier		
	1		
Ignition temperature No data available			
Oxidising properties			
Not relevant			
Source	supplier		
Explosive properties			
The product does not have explosive pro			
Source	supplier		
Flammability			
The product is not combustible.			
Source	supplier		
Lawar avalacian limit			
Lower explosion limit none			
Method	ASTM E 681		
Source	supplier		
Upper explosion limit none			
Method	ASTM E 681		
Source	supplier		
	1 11		
Vapour pressure Value		12748	hPa
Reference temperature		12748 25	°C
Notoronoe temperature		20	



with 1907/2006/EC

Trade name: R449A

Current version: 2.0.1, issued: 06.01.2025 Replaced version: 2.0.0, issued: 06.01.2025

Region: GER

supplier				
	3,07			
supplier				
Air = 1				
>	1			
supplier				
CCI4 = 1				
	1,1			
	25	°C		
supplier				
	•	•		
	> supplier CCl4 = 1	supplier Air = 1	supplier Air = 1 > 1 supplier CCl4 = 1 1,1 25 °C	supplier Air = 1 > 1 supplier CCl4 = 1 1,1 25 °C

Partition coefficient n-octanol/water (log valu	e)				
No Substance name		CAS no.		EC no.	
1 norflurane		811-97-2		212-377-0	
log Pow			1,06		
Reference temperature			25	°C	
with reference to	pH 6.0				
Method	OECD 107				
Source	ECHA				
2 2,3,3,3-tetrafluoroprop-1-ene	-	754-12-1		468-710-7	
log Pow	appr.		2		
Reference temperature			25	°C	
with reference to	pH 7				
Method	OECD 117				
Source	ECHA				
3 pentafluoroethane	-	354-33-6		206-557-8	
log Pow			1,48		
Reference temperature			25	°C	
with reference to	pH 6.34				
Method	OECD 107				
Source	ECHA				
4 difluoromethane		75-10-5		200-839-4	
log Pow			0,21		
Reference temperature			25	°C	
with reference to	pH 6,1				
Method	OECD 107				
Source	ECHA				

Kinematic viscosity	
Not applicable	
Source	supplier

Particle characteristics	
No data available	

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

with 1907/2006/EC

Trade name: R449A

Current version: 2.0.1, issued: 06.01.2025 Replaced version: 2.0.0. issued: 06.01.2025 Region: GER

Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Stable under recommended storage and handling conditions (See section 7). Reacts with strong oxidizing agents.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Avoid contamination (e.g. rust, dust, ash), risk of decomposition! Oxidizing agents; Acids; Bases; oxygen; Peroxides; Metal as powder

10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity	
No data available	

Acute dermal toxicity No data available

Acu	te inhalational toxicity					
No	Substance name		CAS no.		EC no.	
1	2,3,3,3-tetrafluoroprop-1-ene		754-12-1		468-710-7	
LC5	0	>		405000	ppmV	
Dura	ation of exposure			4	h	
State	e of aggregation	Gas				
Spec	cies	rat				
Meth	nod	OECD 403				
Soul	rce	ECHA				
Eval	uation/classification	Based on ava	ailable data, the c	lassificatio	n criteria are not me	et.

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Geri	m cell mutagenicity			
No	Substance name	CAS no.	EC no.	
1	norflurane	811-97-2	212-377-0	
Туре	e of examination	Genotoxicity in vitro		
Spe	cies	Salmonella typhimurium		
Meth	nod	OECD 471		
Soul	rce	ECHA		
Eval	uation/classification	Based on available data, the classification criteria are not met.		
Туре	e of examination	Genotoxicity in vitro		
Spe	cies	Human Lymphocyte		
Meth	nod	OECD 473		
Soul	rce	ECHA		
Eval	uation/classification	Based on available data, the classification	r criteria are not met.	
Rou	te of exposure	inhalational		

TEGA

with 1907/2006/EC

Trade name: R449A

Current version : 2.0.1, issued: 06.01.2025Replaced version: 2.0.0, issued: 06.01.2025Region: GER

Type of examination	Genotoxicity in vivo		
Species	mouse		
Method	EPA		
	ECHA		
Source Evaluation/classification	Based on available data, the classification criteria are not met.		
-			
2 2,3,3,3-tetrafluoroprop-1-ene	754-12-1 468-710-7		
Type of examination	In vitro Mammalian Chromosomal Aberration Test		
Species	Human Lymphocyte		
Method	OECD 473		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	inhalational		
Type of examination	In vivo mammalian somatic cell study: cytogenicity / erythrocyte		
	micronucleus		
Species	rat		
Method	OECD 474		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3 pentafluoroethane	354-33-6 206-557-8		
Type of examination	in vitro gene mutation study in bacteria		
Species	Salmonella typhimurium / Éscherichia coli		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Type of examination	In vitro Mammalian Chromosomal Aberration Test		
Species	Chinese hamster Ovary (CHO)		
Method	OECD 473		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	inhalational		
Type of examination	Mammalian Erythrocyte Micronucleus Test, In vivo		
Species	mouse		
Method	OECD 474		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
4 difluoromethane	75-10-5 200-839-4		
Type of examination	in vitro gene mutation study in bacteria		
Species	Salmonella typhimurium / Escherichia coli		
Method	OECD 471 ECHA		
Source Evaluation/classification			
	Based on available data, the classification criteria are not met.		
Type of examination	In vitro Mammalian Chromosomal Aberration Test		
Species	Human Lymphocyte		
Method	OECD 473		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity				
No	Substance name	CAS no.		EC no.
1	norflurane	811-97-2		212-377-0
Rou	te of exposure	inhalational		
Spe	cies	mouse		
Sou	rce	ECHA		
Eva	luation/classification	Based on available data	Based on available data, the classification criteria are not met.	
2	2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7
Rou	te of exposure	inhalational		
NOA	AEC	>	50000	ppm
Тур	e of examination	2 generation study		
Spe	cies	rat		
Met	hod	OECD 416		



with 1907/2006/EC

Trade name: R449A

Region: GER Current version: 2.0.1, issued: 06.01.2025 Replaced version: 2.0.0, issued: 06.01.2025

Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Route of exposure	inhalational
NOAEC	< 2500 ppm
Type of examination	Prenatal Developmental Toxicity Study
Species	rabbit
Method	OECD 414
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Card	Carcinogenicity				
No	Substance name	CAS no.	EC no.		
1	norflurane	811-97-2	212-377-0		
Rout	te of exposure	inhalational			
Spec	cies	rat			
Sour	Source ECHA				
Eval	uation/classification	Based on available data, the classification criteria are not met.			

STOT - single exposure No data available

STOT - repeated exposure				
No Substance name		CAS no.	EC no.	
1 norflurane		811-97-2	212-377-0	
Route of exposure	inhalational			
Species	rat			
Method	OECD 453			
Source	ECHA			
Evaluation/classification	Based on av	ailable data, the classif	ication criteria are not met.	
2 2,3,3,3-tetrafluoroprop-1-en	ie .	754-12-1	468-710-7	
Route of exposure	inhalational			
NOAEC	>	5000	0 ppm	
Species	rat			
Method	OECD 413			
Source	ECHA			
Evaluation/classification	Based on av	ailable data, the classif	ication criteria are not met.	
3 pentafluoroethane		354-33-6	206-557-8	
Route of exposure	inhalational			
Species	rat			
Method	OECD 413			
Source	ECHA			
Evaluation/classification	Based on av	ailable data, the classif	ication criteria are not met.	
4 difluoromethane		75-10-5	200-839-4	
Route of exposure	inhalational			
Species	rat		_	
Source	ECHA			
Evaluation/classification	Based on av	ailable data, the classif	ication criteria are not met.	

Aspiration hazard	
No data available	

Endocrine disrupting properties	
No data available	

11.2 Information on other hazards

Other information

No data available.

SECTION 12: Ecological information

with 1907/2006/EC



Trade name: R449A

Region: GER Current version: 2.0.1, issued: 06.01.2025 Replaced version: 2.0.0, issued: 06.01.2025

12.1 Toxicity

Toxi	Toxicity to fish (acute)				
No	Substance name	CAS no.		EC no.	
1	norflurane	811-97-2		212-377-0	
LC5	0		450	mg/l	
Dura	tion of exposure		96	h	
Spe	cies	Salmo gairdneri			
Meth	nod	EU C.1			
Soul	ce	ECHA			
Eval	uation/classification	Based on available data, the classification criteria are not met.			
2	2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7	
LC5	0	>	197	mg/l	
Dura	tion of exposure		96	h	
Spe	cies	Cyprinus carpio			
Meth	nod	OECD 203			
Soul	ce	ECHA			
Evaluation/classification		Based on available data, t	he classificatior	n criteria are not met.	

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)				
No	Substance name	CAS no.		EC no.
1	norflurane	811-97-2		212-377-0
EC5	0		980	mg/l
Dura	tion of exposure		48	h
Spec	cies	Daphnia magna		
Meth	od	EU C.2		
Sour	ce	ECHA		
Eval	uation/classification	Based on available data, th	ne classification	criteria are not met.
2	2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7
EC5	0	>	100	mg/l
Dura	tion of exposure		48	h
Spec	cies	Daphnia magna		
Meth	od	OECD 202		
Sour	ce	ECHA		
Eval	uation/classification	Based on available data, th	ne classification	criteria are not met.

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)				
No	Substance name	CAS no.		EC no.
1	2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7
EC5	0	>	100	mg/l
Duration of exposure 72		h		
Species Raphidocelis subcapitata				
Meth	Method OECD 201			
Sou	purce ECHA			
Eval	Evaluation/classification Based on available data, the classification criteria are not met.			

Toxicity to al	gae (chronic)
----------------	---------------

No data available

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

Biod	legradability			
No	Substance name	CAS no.	EC no.	

with 1907/2006/EC

Trade name: R449A

Current version: 2.0.1, issued: 06.01.2025 Replaced version: 2.0.0, issued: 06.01.2025

Region: GER

1 norflurane	811-97-2		212-377-0
Туре	aerobic biodegradation		
Value	appr.	3	%
Duration		28	d
Method	OECD 301 D		
Source	ECHA		
Evaluation	not readily biodegradable		
2 2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7
Туре	aerobic biodegradation		
Value	<	5	%
Duration		28	d
Method	OECD 301 F		
Source	ECHA		
Evaluation	not readily biodegradable		
3 pentafluoroethane	354-33-6		206-557-8
Туре	aerobic biodegradation		
Value	appr.	5	%
Duration		28	d
Method	Closed Bottle Test (OECD 30	1D)	
Source	ECHA		
Evaluation	not readily biodegradable		
4 difluoromethane	75-10-5		200-839-4
Туре	aerobic biodegradation		
Value		5	%
Duration		28	d
Method	OECD 301 D		
Source	ECHA		
Evaluation	not readily biodegradable		

12.3 Bioaccumulative potential

	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	norflurane		811-97-2		212-377-0	
log F				1,06		
	erence temperature			25	°C	
	reference to	pH 6.0				
Meth		OECD 107				
Sou		ECHA				
2	2,3,3,3-tetrafluoroprop-1-ene		754-12-1		468-710-7	
log F		appr.		2		
	erence temperature			25	°C	
	reference to	pH 7				
Meth		OECD 117				
Sou		ECHA				
3	pentafluoroethane		354-33-6		206-557-8	
log F				1,48		
	erence temperature			25	°C	
	reference to	pH 6.34				
Meth		OECD 107				
Sou		ECHA				
4	difluoromethane		75-10-5		200-839-4	
log F	Pow			0,21		
	Reference temperature			25	°C	
	with reference to pH 6,1					
	Method OECD 107					
Sou	rce	ECHA				

12.4 Mobility in soil

No data available.

TEGR

with 1907/2006/EC

Trade name: R449A

 Current version : 2.0.1, issued: 06.01.2025
 Replaced version: 2.0.0, issued: 06.01.2025
 Region:

GER

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
Product Name	
R449A	
PBT assessment	The product is not considered to be a PBT.
vPvB assessment	The product is not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

Other adverse effects

Contains fluorinated greenhouse gases.

Product: Global warming potential within 100 years: 1396

12.8 Other information

Other information

Do not discharge product uncontrolled into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

dispose of in accordance with local regulation.

Packaging

Disposal should be observed in conformity with the Regional Waste Disposal Authority.

SECTION 14: Transport information

14.1 UN number or ID number

 ADR/RID/ADN
 UN1078

 IMDG
 UN1078

 ICAO-TI / IATA
 UN1078

14.2 UN proper shipping name

ADR/RID/ADN REFRIGERANT GAS, N.O.S.

Technical name norflurane

2,3,3,3-tetrafluoroprop-1-ene

IMDG REFRIGERANT GAS, N.O.S.

Technical name norflurane

2,3,3,3-tetrafluoroprop-1-ene

ICAO-TI / IATA Refrigerant gas, n.o.s.

Technical name norflurane

2,3,3,3-tetrafluoroprop-1-ene

14.3 Transport hazard class(es)

ADR/RID/ADN - Class

Label 2.2 RID: (+13)

Classification code 2A
Tunnel restriction code C/E
Hazard identification no. 20

IMDG - Class 2.2
Label 2.2

ICAO-TI / IATA - Class 2.2

ICAO-TI / IATA - Class 2.2 Label 2.2

TEGR

with 1907/2006/EC

Trade name: R449A

 Current version : 2.0.1, issued: 06.01.2025
 Replaced version: 2.0.0, issued: 06.01.2025
 Region:

GER

14.4 Packing group

Not classified as dangerous in the meaning of transport regulations.

14.5 Environmental hazards

EmS F-C, S-V

14.6 Special precautions for user

To be transported always in closed, upright and safe containers. Make sure that persons handling these containers are aware of the rules of conduct in case of incident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

REGULATION (EU) No 517/2014 on fluorinated greenhouse gases

Adhere to the national sanitary and occupational safety regulations when using this product.

National regulations

Water Hazard Class (Germany)

Class

Source Classification according to AwSV (Regulation on facilities for handling substances

that are hazardous to water).

Other regulations

Take into account: TRGS 510 "Storage of hazardous substances in non-stationary containers"

15.2 Chemical safety assessment

Chemical safety assessments have been conducted for the substances in this mixture. For a mixture a chemical safety assessment according to (EC) 1907/2006 is not mandatory.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

TEGA

with 1907/2006/EC

Trade name: R449A

Current version: 2.0.1, issued: 06.01.2025 Replaced version: 2.0.0, issued: 06.01.2025 Region:
GER

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H220 Extremely flammable gas.

H221 Flammable gas.

Creation of the safety data sheet

UMCO GmbH

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

This document is an English translation of the legally compliant safety data sheet of the region Germany. This document, including UFI and emergency telephone number, may only be used for placing on the market in the region Germany.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 758255